

List of Examples

Chapter 1

- 1.1 : 1.1: Bayes theorem in Case Control studies. DATA: imaginary. Page: 4.
- 1.2 : 1.2: Goals scored by the national football team of Greece in Euro 2004 (Poisson Data). DATA: mine. Page: 15.
- 1.3 : 1.3: Estimating the prevalence of a disease (Bernoulli Data). DATA: imaginary. Page: 18.
- 1.4 : 1.4: Kobe Bryant's field goals in NBA (Binomial data). DATA: Sports data from internet. Page: 19.
- 1.5 : 1.5: Body temperature data (Normal data). DATA: Body Temperature Data Mackowiak et al. (1992), Shoemaker (1996). Page: 21.
Mackowiak, *et al.* (1992), *Journal of the American Medical Association*.
Shoemaker (1996). *Journal of Statistics Education*.

Chapter 2

- 2.1 : 2.1: A simple example: risk measures in medical research. DATA: imaginary. Page: 33.
- 2.2 : 2.2: Univariate example: Posterior distribution of the odds and log-odds in Binomial data. DATA: Kobe Bryant's data from example 1.4. Page: 46.
- 2.3 : 2.3: Univariate example: Posterior distribution of the odds and log-odds in Binomial data. DATA: WAIS data from Agresti (1990, p.122-123). Page: 56.
Agresti, A. (1990), *Categorical Data Analysis*, Wiley-Interscience, first edn, John Wiley & Sons, USA.
- 2.4 : 2.4: Body Temperature Data Revisited: Analysis with Non-Conjugate Prior. DATA: Body Temperature Data of example 1.5. Page: 72.
- 2.5 : 2.5: Slice sampler for binary logistic regression: senility symptoms data revisited. DATA: WAIS data from example 2.3. [Agresti, A. (1990), *Categorical Data Analysis*, Wiley-Interscience, New York.] Data are used and reproduced with permission of John Wiley and Sons, Inc. Page: 77.

Chapter 5

- 5.1 : 5.1: Soft Drink Delivery Times. DATA: Soft drink data from Montgomery and Peck (1992). [Montgomery, D. and Peck, E. (1992), *Introduction to Regression Analysis*, Wiley, New York.] Data are used and reproduced with permission of John Wiley and Sons, Inc. Page: 157.
Montgomery, D. and Peck, E. (1992), *Introduction to Regression Analysis*, John Wiley & Sons, New York, U.S.A.
- 5.2 : 5.2: Evaluation of candidate school tutors. DATA: Imaginary. Page: 171.
- 5.3 : 5.3: Schizotypal Personality Data. DATA: Mine. Iliopoulou (2004). Page: 178.

Chapter 6

- 6.1 : 6.1: A three-way ANOVA model for schizotypal personality data. DATA: Schizotypal personality data. Page: 191. Source: Mine; Iliopoulou (2004).
- 6.2 : 6.2: Factor 8 example. DATA: Imaginary. Page: 204.
- 6.3 : 6.3: Oxygen uptake experiment. DATA: Oxygen data from Weisberg (2005, p.230-231). [Weisberg, S. (2005), *Applied Linear Regression*, 3rd ed., Wiley-Interscience, New York.]. Data are used and reproduced with permission of John Wiley and Sons, Inc. Page: 221.

Chapter 7

- 7.1 : 7.1: Aircraft damage dataset. DATA: Aircraft Damage dataset of Montgomery et al. (2006). [Montgomery, D., Peck, E. and Vining, G. (2006), *Introduction to Linear Regression Analysis*, 4th ed., Wiley, Hoboken, NJ.]. Data are used and reproduced with permission of John Wiley and Sons, Inc. Page: 245.
- 7.2 : 7.2: Modeling the English Premiership football data. DATA: English Premiership data for the season 2006-2007 downloaded by the web page <http://soccernet-akamai.espn.go.com>. Page: 249.
- 7.3 : 7.3: Analysis of senility symptoms data using WinBUGS . DATA: WAIS data from example 2.3. Page: 263.

Chapter 8

- 8.1 : 8.1: An inverse Gaussian simulated dataset. DATA: Mine - Simulated data Page: 278.
- 8.2 : 8.2: Soft drinks delivery data (example 5.1 revisited). DATA: Soft drink data of example 5.1. Page: 281.
- 8.3 : 8.3: 1990 USA General Social Survey: Number of monthly sexual intercourses. DATA: Accumulated data by gender are provided by Agresti (2002, p. 569–570). [Agresti, A. (2002), *Categorical Data Analysis*, 2nd ed., Wiley-Interscience, Hoboken, NJ.] Data are used and reproduced with permission of John Wiley and Sons, Inc. Page: 284.
- 8.4 : 8.4: Bivariate Simulated Count Data. DATA: Mine - Simulated data. Page: 293.
- 8.5 : 8.5: Bivariate simulated count data of example 8.4. DATA: Data of example 8.4. Page: 296.

Chapter 9

- 9.1 : 9.1: Repeated measurements of Blood pressure. DATA: Imaginary. Page: 308.
- 9.2 : 9.2: Example 1.4: Kobe Bryant's field goals in NBA (revisited). DATA: Kobe Bryant's data from example 1.4. Page: 313.

- 9.3 : 9.3: 1990 USA General Social Survey: Example 8.3 (revisited). DATA: Data of example 8.3. Page: 315.
- 9.4 : 9.4: Analysis of odds ratios from various studies. DATA: Imaginary. Page: 319.
- 9.5 : 9.5: An AB/BA cross-over trial. DATA: Study presented by Brown and Prescott (2006, p.275–279). [Brown, H. and Prescott, R. (2006), *Applied Mixed Models in Medicine*, Statistics in Practice, 2nd ed., Wiley, Chichester, UK.]. Data are reproduced with permission of Wiley and Sons, Inc.
Page: 322.
Brown, H. and Prescott, R. (2006), *Applied Mixed Models in Medicine*, Statistics in Practice, second edn, Jon Wiley & Sons, Chichester, UK.
- 9.6 : 9.6: Treatment comparison in matched-pair clinical trials. DATA: Imaginary. Page: 327.
- 9.7 : 9.7: Modeling correlation in questionnaire binary responses: Schizotypal Personality Questionnaire DATA: Mine. Data from Iliopoulou (2004). Page: 329.
- 9.8 : 9.8: Modeling water polo world cup 2000 data. DATA: Water Polo data available in the web. Page: 334.

Chapter 10

- 10.1 : 10.1: Outstanding Car Insurance Claim Amounts DATA: Data from Ntzoufras (1999) [Ntzoufras, I. (1999), *Aspects of Bayesian Model and Variable Selection Using MCMC*, PhD thesis, Department of Statistics, Athens University of Economics and Business, Athens, Greece, available at <http://stat-athens.aueb.gr/~jbn/publications.htm>.] and Ntzoufras and Dellaportas (2002). [Ntzoufras, I. and Dellaportas, P. (2002), “Bayesian modelling of outstanding liabilities incorporating claim count uncertainty (with discussion)”, *North American Actuarial Journal* **6**, 113–128.]. Copyright 2002 by the Society of Actuaries, Schaumburg, Illinois. Reproduced and reprinted with permission. Page: 347.
- 10.2 : 10.2: The distribution of Manchester United’s goals in Home games for season 2006-7. DATA: Sports data available in the web. Page: 354.
- 10.3 : 10.3: Simulated normal data. DATA: Mine. Simulated data. Page: 357.
- 10.4 : 10.4: Model checking for the soft drink delivery times data (Example 5.1 continued). DATA: Soft drink data of example 5.1. Page: 383.

Chapter 11

- 11.1 : 11.1: Calculation of the marginal likelihood in a beta binomial model - Example 1.4: Kobe Bryant’s field goals in NBA (revisited)
DATA: Kobe Bryant’s data from example 1.4. Page: 399.
- 11.2 : 11.2: Calculation of the marginal likelihood in a normal conjugate model - Example 5.1: Soft Drink Delivery Times (revisited). DATA: Soft drink data of example 5.1. Page: 403.

- 11.3 : 11.3: Bayesian Variable Selection - Dellaportas et al. (2002) simulated data. DATA: Simulated data of Dellaportas et al.'s (2002) [Dellaportas, P., Forster, J. and Ntzoufras, I. (2002), "On Bayesian model and variable selection using MCMC", *Statistics and Computing* **12**, 27–36]; with kind permission of Springer Science and Business Media. Data are also available in Ntzoufras (1999). [Ntzoufras, I. (1999), *Aspects of Bayesian Model and Variable Selection Using MCMC*, PhD thesis, Department of Statistics, Athens University of Economics and Business, Athens, Greece, available at <http://stat-athens.aueb.gr/~jbn/publications.htm>.] Page: 414.
- 11.4 : 11.4: Posterior Predictive Densities - Example 5.1: Soft Drink Delivery Times (revisited). DATA: Soft drink data of example 5.1. Page: 424.
- 11.5 : 11.5: Calculation of AIC and BIC - Example 5.1: Soft Drink Delivery Times (revisited). DATA: Soft drink data of example 5.1. Page: 429.

List of Problems

Chapter 1

- 1.1 : Diagnostic tests and Bayes Theorem (Imaginary data).
- 1.2 : Data analysis using the Exponential distribution (Imaginary data).
- 1.3 : Analysis using the Exponential distribution - Reparametrized model.
- 1.4 : Bayesian inference using the Gamma distribution.
- 1.5 : Bayesian inference of Categorical data using the Dirichlet distribution.
- 1.6 : Analysis of a 2×2 contingency table using the multinomial distribution (imaginary data).
- 1.7 : Analysis of a 2×2 contingency table using the Poisson distribution (imaginary data).
- 1.8 : Analysis Soccer/Football World Cup 2006 data for the Italian and French National Teams (Sports data from the web).
- 1.9 : Analysis of incomplete Binomial data (imaginary data).
- 1.10 : Data analysis using the normal distribution (imaginary data).

Chapter 2

- 2.1 : Direct Sampling: Independence model for 2×2 contingency table.
- 2.2 : Direct Sampling: Probability of winning or loosing a game for Italy and France in Football World Cup 2006.
- 2.3 : MCMC schemes for the normal distribution.
- 2.4 : MCMC schemes for the Students' t-distribution.
- 2.5 : MCMC schemes for the Weibull distribution.

- 2.6 : MCMC schemes for the Gamma distribution.
- 2.7 : MCMC schemes for three model for the pumps data (Spiegelhalter et al., 2003a)
- 2.8 : Output analysis in the results of problems 2.3-2.4.

Chapter 3

Implementation in WinBUGS .

- 3.1 : Exponential distribution (imaginary data).
- 3.2 : Log-normal distribution (imaginary data).
- 3.3 : Poisson and Negative binomial distributions.
- 3.4 : A Poisson model for 2×2 contingency tables.
- 3.5 : Normal and Student's t-distributions for comparing the means of two groups (imaginary data).

Chapter 4

- 4.1 : Distributions for survival times data (imaginary data).
- 4.2 : Comparison of distributions using DIC.
- 4.3 : Running multiple chains and checking convergence using Gelman & Rubin diagnostic.
- 4.4 : Run model from Surgical example in Spiegelhalter et al. (2003a).
- 4.5 : Use the compare tool. Save the current state of the chain and rerun the algorithm. Run the model in the background.

Chapter 5

- 5.1 : Hubble's Constant Data Story (data available from <http://lib.stat.cmu.edu/DASL/>)
- 5.2 : Simple linear regression model (imaginary data).
- 5.3 : Simulated data of Dellaportas et al. (2002).
- 5.4 : Analysis of the simulated data of Dellaportas et al. (2002) using the Zellner's g-prior.
- 5.5 : A simple ANOVA model for the comparison of four groups (imaginary data).
- 5.6 : Analysis of data from four groups when summary information is available (imaginary data).
- 5.7 : A two way ANOVA model for the data of Kahn (2005) (available at <http://www.amstat.org/publications/jse/v13n2/datasets.kahn.html>).
- 5.8 : Two way ANOVA model for Albuquerque Home Prices Data Story (data available at <http://lib.stat.cmu.edu/DASL/Datafiles/homedat.html>).

Chapter 6

- 6.1 : Use of dummy variables and sum-to-zero constraints in Problem 5.5.
- 6.2 : Use of dummy variables and sum-to-zero constraints in Problem 5.6.
- 6.3 : Fit the models of Kahn (2005) and compare them with MLE results.
- 6.4 : Three way ANOVA for Albuquerque Home Prices Data Story (Problem 5.8).
- 6.5 : ANCOVA model for Albuquerque Home Prices Data Story (Problem 5.8).
- 6.6 : ANCOVA model for imaginary bioassay data.
- 6.7 : Fit multiple models using γ indicators in Problem 6.3. Compare them using DIC.
- 6.8 : Use DIC for variable selection in Problems 5.2 and 5.3.
- 6.9 : An ANCOVA model for the total money spend by each customer for Masticha shop customer survey data.

Chapter 7

- 7.1 : Simulated count data.
- 7.2 : A Poisson log-linear model for the items purchased by each customer for the Masticha shop customer survey data.
- 7.3 : Modeling water Polo data; see also Karlis and Ntzoufras (2003a).
- 7.4 : Modeling soccer/football data from the Italian Championship for season 2000/2001; see also Karlis and Ntzoufras (2003a).
- 7.5 : A Poisson log-linear model for the Salm data of Spiegelhalter et al. (2003a).
- 7.6 : A Binomial regression model for the Seeds data of Spiegelhalter et al. (2003a).
- 7.7 : Simulated Binomial data.
- 7.8 : Simulated Bernoulli data.
- 7.9 : A Binomial regression model for the Beetles data of Spiegelhalter et al. (2003b).
- 7.10 : A Binomial regression model for the Water Polo data of Problem 7.3.
- 7.11 : A Poisson log-linear model for 2×2 contingency tables.
- 7.12 : Using the Binomial distribuiotn for 2×2 contingency tables.

Chapter 8

- 8.1 : Fitting the inverse Gaussian, the Log-normal and the Gamma distribution to simulated data.
- 8.2 : Fitting the inverse Gaussian, the Log-normal and the Gamma distribution on the data of Problem 6.9.
- 8.3 : Modeling the Mice data of Spiegelhalter et al. (2003a) using the Weibull, the Log-normal and the Gamma distributions.
- 8.4 : Modeling the Kidney data of Spiegelhalter et al. (2003a) using the Weibull, the Log-normal and the Gamma distributions.
- 8.5 : Use the inverse Gaussian distribution on the Mice and Kidney data of Spiegelhalter et al. (2003a).
- 8.6 : Fitting the Poisson, the Negative Binomial and the Generalized Poisson distributions on count data.
- 8.7 : Use the Poisson difference distribution to model integer valued data.
- 8.8 : Bivariate Poisson model for the Epil data of Spiegelhalter et al. (2003a).
- 8.9 : Poisson difference model for Epil data of Spiegelhalter et al. (2003a).
- 8.10 : Use of Binomial and Multinomial models in Alligators data of Spiegelhalter et al. (2003b)
- 8.11 : Fit the folded normal distribution in data of Problem 8.1.
- 8.12 : Use of the multinomial model on Italian soccer/football data of Problem 7.4.
- 8.13 : Use of the Poisson difference distribution on the Water Polo data of Problem 7.3.

Chapter 9

- 9.1 : Poisson log-linear model with random effects for sports data.
- 9.2 : Hierarchical model the Salm data of Spiegelhalter et al. (2003a).
- 9.3 : Hierarchical model the Seeds data of Spiegelhalter et al. (2003a).
- 9.4 : Hierarchical model the Rats data of Spiegelhalter et al. (2003a).
- 9.5 : Hierarchical model the Surgical data of Spiegelhalter et al. (2003a).
- 9.6 : Hierarchical Survival model the Kidney data of Spiegelhalter et al. (2003a).

Chapter 10

- 10.1 : Prediction in outstanding claims count data.
- 10.2 : Model checking for Problem 8.1.
- 10.3 : Model checking for Problem 8.6.
- 10.4 : Model checking for Problem 8.7.
- 10.5 : Residual analysis in previous problems.
- 10.6 : Checking the Regression model assumptions in previous problems.
- 10.7 : Goodness of fit diagnostics for problems of chapter 7.
- 10.8 : Cross-validatory predictive measures for Problems 8.1 and 8.6.

Chapter 11

- 11.1 : Computation of the marginal log-likelihood for Problem 5.1.
- 11.2 : Computation of the marginal log-likelihood and posterior model odds for the Problem 5.2.
- 11.3 : Computation of the marginal likelihood and posterior weights for Problem 6.6.
- 11.4 : Computation of the marginal likelihood for example *Seeds* (Spiegelhalter et al., 2003a) (Problem 7.6).
- 11.5 : Computation of the marginal likelihood for example *Beetles* (Spiegelhalter et al., 2003b) (Problem 7.9).
- 11.6 : Variable selection for Problem 5.5.
- 11.7 : Variable selection methods for Problems 6.5 and 6.9.
- 11.8 : Variable selection for Problems 7.1 and 7.2.
- 11.9 : Variable selection for Problems 7.7 and 7.8.
- 11.10 : Computation of the marginal likelihood for problems 8.1 and 8.2.
- 11.11 : Model comparison using a single MCMC run for problems 8.1 and 8.2.
- 11.12 : Variable selection methods for the survival data of Problems 8.3 and 8.4.
- 11.13 : Calculation of the posterior Bayes Factors and the negative log-likelihood for Problems 11.1–11.4.
- 11.14 : Model comparison using AIC and BIC for Problems 11.1–11.4.