

REFERENCES

Nutrition Books

Aub, J.C. and Du Bois, E.F. (1917). The basal metabolism of old men, Arch. Intern. Med., 19, 823-834.

Black, A.E., Coward, W.A., Cole, T.J. and Prentice, A.M. (1996). Human energy expenditure in affluent societies, Eur. J. Clin. Nutr., 50, 72-92.

Clark, H.D. and Hoffer, L.F. (1991). Reappraisal of the resting metabolic rate of normal young men, Am. J. Clin. Nutr., 53, 21-26.

Durnin, J.V. and Passmore (1967). Energy work and leisure, Heineman educational books Ltd. London.

FAO/WHO/UNU expert consultation (1985). Energy and protein requirements, WHO Technical Report Series, 724.

Frankenfield, D.C. (1998). The Harris-Benedict studies of human basal metabolism, J. Am. Diet. Assoc., 98, 439-445.

Garrel, D.R. (1996). Should we still use the Harris and Benedict equations, Nutr Clin Prac., 11, 99-103.

Grandjean, A.C. (1989). Macronutrient intake of U.S. athletes compared with the general population and recommendations made for athletes, Am.J.Clin.Nutr., 49, 1070-1076.

Harris, J.A. and Benedict, F.G (1919). Biometric studies of basal metabolism in man, Washington D.C., 297.

Hayter, J.E. (1992). The variability of energy expenditure in populations of different geographic origins, PhD Thesis, Oxford Brookes University.

Hayter, J.E. and Henry, C.J.K. (1993). Basal metabolic rate in human subjects migrating between tropical and temperate regions, Eur. J. Clin. Nutr., 47, 724-734.

Henry, C.J., Hayter, J. and Rees, D.G. (1989). The constancy of basal metabolic rate in free-living male subjects, Eur. J. Clin. Nutr., 43, 727-731.

Henry, C.J.K. and Rees, D.G. (1991). New prediction equations for the estimation of basal metabolic rate in tropical peoples, Eur. J. Clin. Nutr., 45, 177-185.

McClave, S.A. and Snider, H.L. (1992). Use of indirect calorimetry in clinical nutrition, Nutr Clin Prac., 7, 207-221.

Papanikolaoy, K. (1983). Scientific nutrition for athletes, sikeon pub., 100-107.

Parizkova, J. and Novak, J. (1991). Dietary intake and metabolic parameters in adult men during extreme workload, World Rev.Nutr. Diet. Ed., 65, 72-98.

Pavlou, K. (1992). Nutrition for athletes.

Piers, L.S. and Shetty, P.S. (1993). Basal metabolic rates of Indian women, Eur. J. Clin. Nutr., 47, 586-591.

Quenouille, M.H., Boyne, A.W., Fisher, W.B. and Leitch, I. (1951). Statistical studies of recorded energy expenditure of man, Commonwealth Bureau of Animal Nutrition Technical communication, 17.

Ravussin and Bogardus (1989). Relationship of genetics, age, and physical fitness to daily energy expenditure and fuel utilisation, Am J Nutr., 49, 968 – 975.

Robertson, J.D. and Reid, D.D. (1952). Standards for basal metabolism of normal people in Britain, Lancet, 1, 940-943.

Rontoyannis, G.P., Skoulis, T. and Pavlou, K.N. (1989). Energy balance in ultra marathon running, Am. J. Clin. Nutr., 49, 976-979.

Schoeller, D.A. and van Santen, E. (1982). Measurement of energy expenditure in humans by doubly labelled water method, Am. J. Physiol., 53, 955-959.

Schofield, W.N. (1985). Predicting basal metabolic rate, Hum. Nutr. Clin. Nutr., 39C, 5-41.

Short, S.H (1983). Four-year study of University athletes' dietary intake, Am. Diet. Ass., 82, 632-645.

Soares, M.J., Francis, D.G. and Shetty, P.S. (1993). Predictive equations for basal metabolic rates of Indian males, Eur. J. Clin. Nutr., 47, 389-394.

Strauzenberg, S.E., (1979). The problem of dieting in training and athletic performance. Nutritional Aspects of Phys. Performance. Eds., 22, 133-142.

Statistical Books

Draper and Smith (1981). Applied regression analysis, John Wiley and Sons, Second Greek edition, 174-172.

Jarrett, J. (1987). Business forecasting methods. Basil Blackwell Ltd., First Greek edition, 204-205.

Frank, E. and Harrell, Jr. (2001). Regression modeling strategies, Springer Verlag New York, 56-58, 128.

Edward Jackson (1985). A user's guide to principal components. John Wiley and Sons, 269, 271-272.

